



HOW DOES OELO COMPARE?

This comparison chart was assembled using online published sales information, as reported by each manufacturer. Any information that has not been disclosed is noted as "Undisclosed on website." This information was updated on 10-4-24, reflecting the latest available information at that time.

RATINGS, PATENTS AND CERTIFICATIONS	Oelo	Ever Lights	Blue Hopper (Inception)	Trim Light	Jelly Fish	Gemstone	Go-Vee
Advertised lifetime use-rating	100,000 hours	50,000 hours	50,000 hours	50,000 hours	22,000 hours	50,000 hours	50,000 hours
UL/cUL List (third-party safety certification)	Yes	Undisclosed on website	Yes	Undisclosed on website	Yes	Yes	Undisclosed on website
Waterproof rating (IP68=fully submersible)	IP68	IP67	IP67	IP68	Undisclosed on website	IP67	IP67
Fire rating (V-0=self-extinguishing lights)	V-0	Undisclosed on website	Undisclosed on website	Undisclosed on website	Undisclosed on website	Undisclosed on website	Undisclosed on website
U.S. patented (select system elements)	Yes	No	Yes	Yes	Yes	No	Yes
Dark Sky Lighting standards	Meets select standards	Undisclosed on website	Meets select standards	Meets select standards	Undisclosed on website	Meets select standards	Undisclosed on website
Industrial-grade covers	.024"-thick metal and .070"-thick acrylic	Undisclosed on website	.06"-thick ABS/acrylic	N/A	Undisclosed on website	Undisclosed on website	Undisclosed on website
System warranty	7 years	1-15 years	2-5 years	Product lifetime	1 year labor, 3 years parts	5 years	3 years

LED/CONTROL FEATURES	Oelo	Ever Lights	Blue Hopper (Inception)	Trim Light	Jelly Fish	Gemstone	Go-Vee
Voltage	36v	24v	24v or 36v	12v	48v	12v	24v or 36v
Ability to power up to 600 lights from a single control box	Yes	Undisclosed on website	Undisclosed on website	Undisclosed on website	No	Undisclosed on website	No
Standard light spacing	10" or closer	12" or closer	12" or closer	6", 9" or 12"	9"	9"	12"+
Multi-color capable (can display 2+ colors)	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Individually addressable lights	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Control box (indoors / outdoors)	Indoors or outdoors	Indoors only	Indoors or outdoors	Indoors or outdoors	Indoors only	Indoors or outdoors	Indoors or outdoors



HOW DOES OELO COMPARE?

Android or iOS compatible	Both	Both	Both	Both	Both	Both	Both
Alexa and Google Home ready	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Control4 ready	Yes	Yes	Undisclosed on website	Yes	Yes	Yes	Yes
Cloud-based operation	Yes, with built-in local WiFi range option	Yes, only option	Yes, or in-range WiFi option	Yes, or in-range WiFi option	Yes, or in-range WiFi option	Yes, or in-range Bluetooth option	Yes, or in-range Bluetooth option
Light/dark mode	Yes	No	Yes	No	Yes	No	No
Ability to operate lights without internet	Yes	No	Yes	No	No	No	Yes
Easy "Find My Controller" setup	Yes	No	No	Yes	No	No	Yes
Invite users	Yes	Yes	Yes	Yes	No	No	No
Zones (multi-building operation)	Yes (unlimited buildings)	Yes (number of zones undisclosed)	Yes	Yes	Yes (number of zones undisclosed)	Yes (number of zones undisclosed)	Yes (number of zones undisclosed)
Individually controllable zones	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Custom creation of programs and patterns	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Pre-set holiday programs and patterns	Yes, more than 65!	Yes	Yes	Yes	Yes	Yes	Yes
Pre-set sports team patterns	Yes, more than 180!	Yes	No	No	No	Yes	No
Pre-set quick-select white hues	Yes	No	Yes	Yes	Yes	Yes	Yes
Automated timer function	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Year-round scheduling capability	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Security spotlight (select LED illumination)	Yes	No	Undisclosed	Yes	Yes	Yes	Undisclosed



HOW DOES OELO COMPARE?

SYSTEM APPEARANCE / INSTALLATION	Oelo	Ever Lights	Blue Hopper (Inception)	Trim Light	Jelly Fish	Gemstone	Go-Vee
Material options for LED cover / channel	Metal OR acrylic	Aluminum only	Non-aluminum plastic	Aluminum only	Aluminum only	Aluminum only	No covers
Light cover susceptible to rust / corrosion	No	Yes	No	No	No	No	No covers
LEDs flush behind lends (vs. protruding from cover, creating visible bumps)	Flush acrylic design	Protruding LEDs	Flush acrylic design	Protruding LEDs	Protruding LEDs	Protruding LEDs	Protruding LEDs
Face-mounting option for outward glow	Yes	Yes	Yes	Yes*	Yes*	Yes*	Yes*
Under-mounting for wall-wash look	Yes	No	No	Yes	Yes	Yes	Yes
Custom colored covers	Yes, on metal covers	No	No	Yes, aluminum only	Yes, aluminum only	Yes, aluminum only	N/A
Holes and wires in gutter	No	Yes	No	No	No	No	No
Built-in space to run additional wires	Yes	No	Yes	Yes	No	Yes	No covers
Mechanical fasteners	Yes, color matched where applicable	Yes	Yes	Yes	Yes	Yes	No-3M tape
Difficult miter cuts when installing	No	Yes	No DIY kits	No	Yes	No DIY kits	No covers
Open cover susceptible to insect nesting	No, all kits include end caps	No	Yes	No	Yes	Yes	No covers
Authorized installation network locations	Nationwide / International	Available in 29 states	Nationwide	Nationwide, Canada	Nationwide	Nationwide, Canada	No Install Network

* Lights can be turned to face outward but unsightly bumps will be visible.